


COPY OF PAPERS
ORIGINALLY FILED

Form 1449o	Docket Number: G&C 136.13-US-U1	Application Number: 09/815,478
INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION	Applicant: Donna B. Dulong et al.	
	Filing Date: March 23, 2001	Group Art Unit: 2166



U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILED DATE IF A/P

RECEIVED
MAY 02 2002
Technology Center 21

FOREIGN PATENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

✓	American Society of Hosp. Pharm., "ASHP Guidelines on Preventing Medication Errors in Hospitals," Am Jnl Hosp Pharm, 1993, 50: 305-314 (review & commentary only)
✓	G.A. Barry et al., "Bar-Code Technology for Documenting Administration of Large-Volume Intravenous Solutions," Am Jnl of Hosp Pharm, Feb 1989, 46: 282-287
✓	D. Bates et al., "Potential Identifiability and Preventability of Adverse Events Using Information Systems," Jnl of Am Med Informatics Assoc, Sept/Oct 1994, 1(5): 404-411 (review & commentary only)
✓	J.M. Borel et al., "Effect of an Automated, Nursing Unit-Based Drug-Dispensing Device on Medication Errors," Am Jnl of Health-Sys Pharm, Sept 1995, 52: 1875-1879 (review & commentary only)
✓	S.J. Brown et al., "Evaluation of the Impact of a Bedside Terminal System in a Rapidly Changing Community Hospital," Computers in Nursing, 1995, 13(6): 280-284
✓	D.C. Classen et al., "Computerized Surveillance of Adverse Drug Events in Hospital Patients," JAMA, Nov. 1991, 266(20): 2847-2851 (review & commentary only)
✓	R.S. Evans, et al., "Preventing Adverse Drug Events in Hospitalized Patients," The Annals of Pharmacotherapy, Apr 1994, 28: 523-537 (review & commentary only)
✓	R.S. Evans et al., "Using a Hospital Information System to Assess the Effects of Adverse Drug Events," 17th Annual Symposium on Computer Applications in Medical Care, NY, 1993, 161-165 (review & commentary only)
✓	H.L. Folli et al., "Medication Error Prevention by Clinical Pharmacists in Two Children's Hospitals," Pediatrics, May 1987, 79(5): 718-722 (review & commentary only)
✓	T.H. Grasela et al., "Capability of Hospital Computer Systems in Performing Drug-Use Evaluations and Adverse Drug Event Monitoring," Am Jnl of Hosp Pharm, Sept 1993, 50: 1889-1895 (review & commentary only)
✓	Health Care Strategic Management, "Hospital Drug Errors Tracked, Results Provide Large Medication Incident Database," Aug 1995, 13(8): 17 (review & commentary only)
✓	J.A. Hokanson et al., "Potential Use of Bar Codes to Implement Automated Dispensing Quality Assurance Programs," Hosp. Pharm, May 1985, 20(5): 327-337
✓	B. Lambert, "Predicting Look-Alike and Sound-Alike Medication Errors," Am Jnl of Health-Sys Pharm, May 1997, 54: 1161-1171 (review & commentary only)
✓	C.J. McDonald, "Protocol-Based Computer Reminders, the Quality of Care and the Non-Perfectibility of Man," The New England Jnl of Med, Dec 1976, 295(24): 1351-1355 (review & commentary only)

EXAMINER: <i>Clifford</i>	DATE CONSIDERED: <i>6/16/05</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Form 1449*	Docket Number: G&C 136.13-US-U1	Application Number: 09/815,478
INFORMATION DISCLOSURE STATEMENT	Applicant: Donna B. Dulong et al.	
IN AN APPLICATION	Filing Date: March 23, 2001	Group Art Unit: 2166

<i>clb</i>	G. E. Meyer et al., "Use of Bar Codes in Inpatient Drug Distribution," Am Jnl Hosp Pharm, May 1991, 48(5): 953-966
	G.E. Meyer et al., "Use of Refractive Index Measurement for Quality Assurance of Pediatric Parenteral Nutrient Solutions," Am Jnl of Hosp Pharm, July 1987, 44: 1617-1620 (review & commentary only)
	D.A. Miller et al., "Pharmacy Technicians and Computer Technology to Support Clinical Pharmacy Services," Am Jnl Hosp Pharm, May 1993, 50(5): 929-934
	J.D. Moore, Jr., "Accident Insurance: Dana-Farber Seeks Foolproof Ways to Stop Medical Errors," Modern Healthcare, Apr 1997, 27(16): 44-45 (review & commentary only)
	M. Neuenschwander, "Limiting or Increasing Opportunities for Errors with Dispensing Automation," Hosp Pharm, Sept. 1996, 31(9): 1102-1106 (review & commentary only)
	E.G. Nold et al., "Bar Codes and Their Potential Applications in Hospital Pharmacy," Am Jnl of Hosp Pharm, Dec 1985, 42(12): 2722-2732
	F. Puckett, "Medication-Management Component of a Point-of-Care Information System," Am Jnl Health-Sys Pharm, June 1995, 52: 1305-1309
	J.M. Wodtke et al., "Use of Medical Record Codes to Identify Adverse Drug Reactions," Am Jnl of Hosp Pharm, Sept. 1993, 50: 1915-1916 (review & commentary only)
<i>clb</i>	B.J. Zarowitz et al., "Bar-Code Technology Applied to Drug-Use Evaluation," Am Jnl Hosp Pharm, May 1993, 50: 935-939

COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

MAY 02 2002

Technology Center 2100

EXAMINER: <i>clb/May</i>	DATE CONSIDERED: <u>6/10/05</u>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

Form 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION	Docket Number: G&C 136.13-US-U1		Application Number: 09/815,478
	Applicant: Donna B. Dulong et al.		
	Filing Date: March 23, 2001	Group Art Unit: 2183	

JUL 20 2001

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
<i>CLB</i>	4,164,320	08/14/79	Irazoqui et al.			
	4,476,381	10/09/84	Rubin			
	4,636,950	01/13/87	Caswell et al.			
	4,696,671	09/29/87	Epstein et al.			
	4,810,243	03/07/89	Howson			
	4,828,545	05/09/89	Epstein et al.			
	4,831,562	05/16/89	McIntosh et al.			
	4,835,372	05/30/89	Gombrich et al.			
	4,839,806	06/13/89	Goldfischer et al.			
	4,847,764	07/11/89	Halvorson			
	4,853,521	08/01/89	Claeys et al.			
	4,857,713	08/15/89	Brown			
	4,857,716	08/15/89	Gombrich et al.			
	4,865,584	09/12/89	Epstein et al.			
	4,916,441	04/10/90	Gombrich			
	4,925,444	05/15/90	Orkin et al.			
	4,978,335	12/18/90	Arthur III			
	5,006,699	04/09/91	Felkner et al.			
	5,036,852	08/06/91	Leishman			
	5,072,383	12/10/91	Brimm et al.			
	5,088,981	02/18/92	Howson et al.			
	5,100,380	03/31/92	Epstein et al.			
	5,153,416	10/06/92	Neeley			
	5,153,827	10/06/92	Coutré et al.			
	5,207,642	05/04/93	Orkin et al.			
	5,256,157	10/26/93	Samiotes et al.			
	5,265,010	11/23/93	Evans-Paganelli et al.			
	5,267,174	11/30/93	Kaufman et al.			
<i>CLB</i>	5,317,506	05/31/94	Coutré et al.			

EXAMINER: <i>CLB</i>	DATE CONSIDERED: <i>6/10/05</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

RECEIVED

JUL 23 2001

Technology Center 2100

Date Mailed: July 18, 2001

Sheet 2 of 2

Form 1449*	Docket Number: G&C 136.13-US-U1	Application Number: 09/815,478
INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION	Applicant: Donna B. Dulong et al.	
	Filing Date: March 23, 2001	Group Art Unit: 2183

FOREIGN PATENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Microsoft TechNet, "Architectural Design: A Scalable, Highly Available Business Object Architecture", <http://www.microsoft.com/technet/ecommerce/ObjArchi.asp?a=printable>, July 2000, pp. 1-12.

EXAMINER: <i>cliff</i>	DATE CONSIDERED: <i>6/20/2015</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

EXAMINER: John C. Clark DATE CONSIDERED: 6/10/05
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance.

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

G&C 136.13-US-U1

RECEIVED

JUL 23 2001

Technology Center 2100